



Contents lists available at [SciVerse ScienceDirect](http://SciVerse.ScienceDirect.com)

International Journal of Infectious Diseases

journal homepage: [www.elsevier.com/locate/ijid](http://www.elsevier.com/locate/ijid)

## Medical Imagery

## Vesico-pustular blastomycosis

**Figure 1.** Pustular lesions on the face.**Figure 3.** Forehead lesion.**Figure 2.** Lesion on the left leg.**Figure 4.** GMS stain.

The patient was a 74-year-old female with a history of polycystic kidney disease, status post living related renal transplant 10 years ago, on tacrolimus, azathioprine, and prednisone, who presented with many vesicular skin lesions that evolved into pustules (Figures 1–4). When she had the initial

vesicular lesions, they were thought to be herpetic. Subsequently, she developed a rapidly enlarging verrucous lesion on her forehead and a right forearm abscess. Computed tomography of the chest revealed multiple pulmonary nodules. A skin biopsy from her left hand demonstrated yeast with broad-based

budding on Grocott's methenamine silver (GMS) and periodic acid–Schiff (PAS) stains. Culture from the right forearm abscess grew *Blastomyces dermatitidis*. She also had retinal lesions suggestive of blastomycosis. The patient was treated for disseminated blastomycosis with 2 weeks of amphotericin B and then itraconazole. The skin lesions improved; however, the patient died from other complications. The presentation of vesicopustular blastomycosis is very rare and can be mistaken for herpetic lesions.

*Conflict of interest:* No conflict of interest to declare.

Rashida Khakoo

Nasira Roidad\*

Section of Infectious Diseases, West Virginia University Hospital,  
Robert C. Byrd Health Sciences Center, PO Box 9163,  
Morgantown, WV 26506-9163, USA

\*Corresponding author. Tel.: +1 304 293 3306;

fax: +1 304 293 8677

E-mail address: [nroidad@hsc.wvu.edu](mailto:nroidad@hsc.wvu.edu) (N. Roidad).

**Corresponding Editor:** William Cameron, Ottawa, Canada